

INDEX MAPS.

T. 9N, R. 1E. 2nd Mer.

	245	245-246	245-246	245-246	245-246	244-246						
249	6	240	5	264	4	261	3	257	2	253	1	271
	269	269	264	260	256	252						271
248	7	269	8	264	9	260	10	256	11	252	12	
	268	268	263	260	256	252						244
248	18	268	17	263	16	259	15	255	14	251	13	244
	267	267	263	259	255	251						
248	19	267	20	263	21	258	22	255	23	250	24	243
	266	266	262	258	254	250						
247	30	266	29	262	28	258	27	254	26	250	25	243
	266	265	262	257	253	249						
247	31	265	32	261	33	257	34	253	35	249	36	242
	242	242	241	241	241	241	241	241	241	241	241	

T. 10N, R. 1E. 2nd Mer.

	278		278		278		277-279		277-279		277-279	
281	6	307	5	301	4	296	3	291	2	286	1	277
	306		306		300		295		291		286	
281	7	306	8	300	9	295	10	290	11	285	12	276
	305		305		299		295		290		285	
280	18	304	17	299	16	294	15	289	14	284	13	276
	304		304		299		294		289		284	
280	19	303	20	298	21	293	22	288	23	283	24	276
	303		303		298		293		288		283	
280	30	302	29	297	28	293	27	287	26	282	25	275
	302		301		297		292		287		282	
279	31	301	32	296	33	292	34	286	35	282	36	275
	274		273-274		273-274		273-274		273-275		273-275	

The figures on the lines refer to the page.

241

Township N. 9 North, Range N. 1 East 2^d Mer. Indiana

South Boundary. March 31st 1811

West 1st mile between Towns 8 & 9 N. R 1 E
40.00 Set the q. Sec. post, from which
a W. Oak 12 m. diam. bears S 62 E 11 lks. dist. &
a Do 12 " " " North 13 " "
53.00 a Brook 12 lks. wide Cr. S. W.
80.00 Set a post Cor. to Sec. 35 & 36, T 9 N. R 1 E, from which
a P. Oak 30 m. diam. bears N 51 W 26 lks. dist. &
a Do 12 " " " N 13 E 26 " "
Land poor & hilly, timber Oak, Beech, Gum &c.

West 2nd mile between Towns 8 & 9 N. R 1 E.
00.50 a Brook 15 lks. wide Cr. S. E.
40.00 Set the q. Sec. post, from which
a W. Oak 14 m. diam. bears S 57 E 35 lks. dist. &
a Sugar 13 " " " N 21 W 26 " "
75.00 a Brook 15 lks. wide Cr. S. W.
80.00 Set a post Cor. to Sec. 34 & 35, T 9 N. R 1 E, from which
a Gum 16 m. diam. bears S 56 W 23 lks. dist. &
a P. Oak 17 " " " N 81 E 11 " "
Land timber &c. same as on the last mile

West 3rd mile between Towns 8 & 9, N. R 1 E.
40.00 Set a post Cor. for q. Sec. from which
a Sugar 6 m. diam. bears S 45 E 10 lks. dist. &
a Beech 30 " " " West 40 " "
45.00 a Creek 50 lks. wide Cr. S.
80.00 Set a post Cor. to Sec. 33 & 34, T 9 N. R 1 E, from which
a Beech 14 m. diam. bears S 30 E 21 lks. dist. &
a Do 13 " " " N 16 W 21 " "
Hilly Rich land timber Oak & Sugar

West 4th mile between Towns 8 & 9 N. R 1 E.

T⁹N. R¹E. T². Mer. Indiana

- 21.00 a Brook 10 lks. wide Course S.W.
 35.50 Spring 6 lks. wide C². S.W.
 40.00 Set the gr. Sec. post, from which
 a Beech 8 m. dia. bears S 81 W 5 lks. dist. of
 a W. Oak 36 " " " N 29 E 26. "
 55.00 a Creek 60 lks. wide C². S.E.
 80.00 Set a post Cor. to Sec. 32 & 33, T⁹N. R¹E, from which
 a Maple 16 m. dia. bears N 47 W 14 lks. dist. of
 a Hickory 8 " " " N 5 W 12 " "
 Land hilly & rich, timber Beech, Oak, Hickory &c

- Next 5th Mile between Towns 8 & 9 N. Range 1 E.
 40.00 Set the gr. Sec. post, from which
 a Beech 15 m. dia. bears N 15 W 17 lks. dist. of
 a Sugar 12 " " " S 53 E 30 " "
 80.00 Set a post Cor. to Sec. 31 & 32, T⁹N. R¹E, from which
 a Hickory 14 m. dia. bears N 35 W 19 lks. dist. of
 a Beech 16 " " " S 11 W 30 " "
 Poor hilly Oak land &c.

- Next 6th Mile between Towns 8 & 9 N. R¹E.
 40.00 Set the gr. Sec. post, from which
 a Hickory 5 m. dia. bears N 45 E 6 lks. dist. of
 a Do 4 " " " North 33 " "
 55.50 a Brook 20 lks. wide C². S.E.
 78.50 Intersected the T². Mer. 100 lks. S. of temp^y. post
 Set a post Cor. to Towns 8 & 9 N. R¹E & 1 W, from which
 a Butternut 12 m. dia. bears N 34 E 12 lks. dist. of
 a Sugar 13 " " " S 14 E 37 " "
 Rich hilly land &c.

East Boundary
 North 1st Mile between Towns 9 N. Range 1 & 2 E.

Tg. N. R. 1 E. 2ⁿ. Mer. Indiana

- 38.50 a Brook 8 lks. wide Cr. E.
- 40.00 At the q. Sec. post, from which
a Sugar 3 in. dia. beam N 55 E 5 lks. dist. &
a Beech 4 " " " S 71 W 7 " "
- 43.00 a Brook 10 lks. wide Cr. S. E.
- 57.00 a W. Oak 14 in. dia. in the line
- 66.50 Intersected the Boundary line, at post, from
which a Sugar 18 in. dia. beam S 30 W 25 lks. dist. &
a Do 11 " " " S 85 E 30 " "
- Poor hilly Oak land.
- Surveyed by Alexander Holmes, d. S.
(Continued by James Hedges in 1819)
- 80.00 (13.50 N. of boundary) Set a post cor. to Sec. 25 & 36
from which an Elm 11 in. dia. beam S 54 W 7 lks. dist. &
a Beech 14 " " " N 35 E 33 " "

North On E. boundary of Sec. 25, Tg. N. R. 1 E. ran. 7. W. E

- 5.00 a Brook 6 lks. wide Cr. East
- 8.50 a Do 8 lks. " " S 40 E
- 10.50 a W. Oak 16 in. dia.
- 40.00 At the q. Sec. post, from which
a Hickory 8 in. dia. beam N 68 E 10 lks. dist. &
a W. Oak 32 " " " S 78 W 30 " "
- 59.86 a Sugar 7 in. dia.
- 60.30 a Brook 10 lks. wide Cr. S 80 E.
- 80.00 Set a post Cor. to Sec. 24 & 25, from which
a Gum 11 in. dia. beam N 65 W 30 lks. dist. &
a Do 16 " " " S 85 E 27 " "
- Land hilly & poor timber N. W. Oak, Beech & Gum
under W. Oak, Dogwood & Ironwood

North On E. boundary of Sec. 24, Tg. N. R. 1 E

- 14.60 a Brook 10 lks. wide Cr. East

T9 N. R1 E 2nd Mer Indiana

36.20 a Beech 18 in. dia.

40.00 Let the q. Sec. post, from which a Sugar 18 in. dia. W.
S 72 E 5 lks. dist. & a W. Oak 48 in. dia. bear S 80 W 46 lks. dist.

47.25 a Brook 12 lks. wide C.S. S 60 E

61.50 a W. Oak 12 in. dia. bear

80.00 Let a post Cor. to Sec. 13 & 24, from which a W. Oak 20
in. dia. bear S 23 E 15 lks. dist. & a Hickory 10 in. dia. bear
N 87 W 15 lks. dist. Land hilly & poor, timber W. Oak,
Hickory & Poplar, undg. Dogw. & Ironw.

North On E. boundary of Sec. 13, T9 N. R1 E.

10.50 a Brook 12 lks. wide C.S. S 40 E

22.50 a W. Oak 13 in. dia.

40.00 Let the q. Sec. post, from which
a Hickory 12 in. dia. bear N 75 W 31 lks. dist. &
a Dogwood 5 " " " N 88 E 19 " "

54.00 a Chestnut Oak 18 in. dia.

80.00 Let a post Cor. to Sec. 12 & 13, from which
a W. Oak 12 in. dia. bear S 27 W 30 lks. dist. &
a Do 8 " " " N 6 W 29 " "

Land timber &c. same as on the last mile

North On E. boundary of Sec. 12, T9 N. R1 E.

19.07 a W. Oak 18 in. dia.

40.00 Let the q. Sec. post, from which
a W. Oak 7 in. dia. bear N 4 W 11 lks. dist. &
a Do 6 " " " S 23 E 21 " "

71.55 a Chestnut Oak 20 in. dia.

Note—For residue of this line see page 271.

North Boundary June 24th. 1819West 1st Mile On Random betw. Towns 9 & 10 N. R1 E

30.00 a Brook 7 lks. wide C.S. N.

40.00 Let temp. q. Sec. post

80.00 Let temp. Sec. post, cor. to 35 & 36, T10 N. R1 E.
over level Beech land.

S 9 N R 1 E 2nd Mer. Indiana

West 2nd Mile ^{on Random} between Towns 9 & 10 N. Range 1 E.
 10.65 a Brook 10 lbs. wide C.S. St.
 40.00 Set temp^y. of Sec. post
 80.00 Set temp^y. post. for 34 & 35, T 10 N. R 1 E.
 Over Rolling land, timber Oak, Beech &c

West 3rd Mile ^{on Random} between Towns 9 & 10 N. R 1 E, 2nd Mer.
 13.80 a Brook 15 lbs. wide C.S. St.
 40.00 Set temp^y. of Sec. post
 80.00 Set temp^y. Cor. to Sec. 33 & 34, T 10 N. R 1 E.
 Over Broken land, timber Beech, Oak &c

West 4th Mile between Towns 9 & 10 N. R 1 E, on Random
 40.00 Set temp^y. of Sec. post
 80.00 Set temp^y. Cor. to Sec. 32 & 33, T 10 N. R 1 E.
 Over broken land, timber Oak & Poplar

West 5th Mile on Random, between Towns 9 & 10 N. R 1 E
 40.00 Set temp^y. of Sec. post
 80.00 Set temp^y. Cor. to Sec. 31 & 32, T 10 N. R 1 E.
 Over broken land, timber Oak & Hickory

West 6th Mile on Random, between Towns 9 & 9 N. R 1 E.
 39.28 Intersected the 2nd Meridian line 520 lbs. N.
 of the Cor. of Towns 9 & 10 N. Ranges 1 E & 1 W.
 Over broken land timber, Oak, Beech &c.

East On true line between Towns 9 & 10 N. R 1 E, and
 Sections 6 & 31
 39.28 Set a post Cor. to Sec. 31 & 32, T 10 N. R 1 E, from which
 a Beech 13 in. dia. brass S 25 W 10 lbs. dist
 a Do 10 " " " N 32 W 24 " "

T9 N - R1 E. 2^d Mer. Indiana

East On S. boundary of Sec. 32, T10 N. R1 E.

40.00 At the q. Sec. post, from which
 a Beech 10 m. diam. bears S69 E 18 lks. dist. of
 a Do 10 " " " N42 W 24 " "

80.00 At a post Cor. to Sec. 32 & 33, T10 N. R1 E. from which
 a Hickory 20 m. diam. bears N44 W 16 lks. dist. of
 a Walnut 12 " " " S59 E 29 " "

East On S. boundary of Sec. 33, T10 N. R1 E.

40.00 At the q. Sec. post, from which
 a Beech 24 m. diam. bears N10 E 23 lks. dist. of
 a Cassia 8 " " " N5 W 9 " "

80.00 At a post Cor. to Sec. 33 & 34, T10 N. R1 E. from which
 a Poplar 18 m. diam. bears S77 E 24 lks. dist. of
 a Dogw? 6 " " " N44 W 13 " "

East On S. boundary of Sec. 34, T10 N. R1 E.

40.00 At the q. Sec. post, from which
 a Gum 12 m. diam. bears N71 E 4 lks. dist. of
 a Beech 8 " " " South 13 " "

80.00 At a post Cor. to Sec. 34 & 35, T10 N. R1 E. from which
 a Beech 13 m. diam. bears S63 E 20 lks. dist. of
 a Do 8 " " " N81 W 22 " "

East On S. boundary of Sec. 35, T10 N. R1 E.

40.00 At the q. Sec. post, from which
 a Beech 30 m. diam. bears N63 E 33 lks. dist. of
 a Cherry 9 " " " N64 W 9 " "

80.00 At a post Cor. to Sec. 35 & 36, T10 N. R1 E. from which
 a Beech 8 m. diam. bears S65 E 20 lks. dist. of
 a Do 30 " " " S71 W 6 " "

East On S. boundary of Sec. 36, T10 N. R1 E.

T9 N. - R1 E. 2nd. Mer. Indiana

- 40.00 Set the g. Sec. post, from which
a Gum 24 in. diam. bears N 82 E 13 lks. dist. &
a Beech 10 " " " S 33 W 17 " "
80.00 Intersected the corner of Towns 9 & 10 N. Ranges
1 & 2 East. Surveyed by John M. McDonald, U.S.

West Boundary or 2nd Principal Meridian
April 1st 1871. From the Cor. of Towns 8 & 9 N.
Range 1 E & 1 W.

North 2nd Mile on 2nd Meridian Town 9 N.

- 3.75 at Brook 15 lks. wide Cr. S. E.
31.00 a Do 12 " " " E.
40.00 a Beech 13 in. diam. ^{Sec. Corner} from which
a Beech 13 in. diam. bears N 80 E 24 lks. dist. &
a Dogwood 4 " " " S 75 W 36 " "
Middling good Beech land &c.
45.00 a Beech 14 in. diam. in the line
61.00 a Brook 20 lks. wide Cr. East.
80.00 Set a post Cor. to Sec. 25 & 36, T9 N. R1 E. from which
a Hickory 10 in. diam. bears S 60 W 19 lks. dist. &
a Beech 13 " " " S 64 E 18 " "
Good Beech & Sugar land.

North 2nd Mile on 2nd Meridian T9 N.

- 15.50 a Brook 10 lks. wide Cr. S. E.
31.00 a Sugar 12 in. diam.
40.00 Set the g. Sec. post, from which
a Beech 13 in. diam. bears N 66 E 11 lks. dist. &
a Do 13 " " " S 75 W 24 " "
75.50 a Beech 16 " "
80.00 Set a post Cor. to Sec. 24 & 25, T9 N. R1 W. from which
a W. Oak 12 in. diam. bears N 49 W 7 lks. dist. &
an Ash 3 " " " S 76 E 17 " "

T⁹N. R1E. 2nd. Mer. Indiana

Sand of middling quality, timber, Beech, Sugar, Ash &c.

North 3rd Mile On 2nd. Meridian T⁹N.

26.00 a Brook 10 hrs. wide C.S.E.

40.00 At the q. Sec. post, from which

a Beech 18 m. dist. bears N 73 E 6 hrs. dist. of

a Do 13 " " " N 74 W 5 " "

Sand of a middling quality, Beech, Sugar, Ash &c.

57.00 a Beech 16 m. dist.

80.00 At a post Cor. to Sec. 13 & 24, T⁹N. R1W. from which

a Sugar 5 m. dist. bears N 17 E 7 hrs. dist. of

a Do 8 " " " S 25 W 14 " "

Rich level land. Beech, Sugar, Poplar &c.

North 4th Mile On 2nd. Meridian T⁹N

7.00 a Beech 24 m. dist.

40.00 At the q. Sec. post, from which

a Sycamore 16 m. dist. bears S 17 E 7 hrs. dist. of

a Walnut 18 " " " N 22 W 29 " "

70.50 a Brook 12 hrs. wide Course N.W.

71.50 a Beech 18 m. dist.

80.00 At a post Cor. to Sec. 12 & 13, T⁹N. R1W. from which

a Sycamore 40 m. dist. bears N 58 W 25 hrs. dist. of

an Elm 25 " " " S 51 E 25 " "

Hilly Beech land &c.

North 5th Mile On 2nd. Meridian T⁹N.

34.00 a W. Oak 7 m. dist. bears

40.00 At the q. Sec. post, from which

a Sassafras 6 m. dist. bears S 47 E 5 hrs. dist. of

a Do 3 " " " N 48 W 7 " "

45.00 a Brook 20 hrs. wide C.S. N.W.

47.50 a Sugar 12 m. dist.

T9 N. R1 E. 2^d. Mer. Indiana

80.00 At a post Cor. to Sec. 16 & 17, T9 N. R1 W. from which
 a Beech 12 m. dist. bears N49°W 15 lks. dist. &
 a Hickory 18 " " " S32°E 17 " "
 Land timber &c. same as on the last mile

North 6th mile on 2^d. Meridian T9 N.

7.00 a Beech 20 m. dist.

16.75 At a post on boundary line, from which
 a Beech 14 m. dist. bears East 30 lks. dist. &
 an Elm 4 " " " West 30 " "

Surveyed by Alex^r. Holmes, L. S.

From Cor. on boundary line, on 2^d. Meridian

12.00 a Brook 20 lks. wide C. P. M.

23.25 At the q. Sec. post, from which a Hickory 12 m. dist.
 bears N47°E 17 lks. dist. & a Dogwood 6 m. dist. bears S37°E 8 lks.

63.25 At a post Cor. to Towns 9 & 10 N. Range 1 E & 1 W. from which
 a Hickory 9 m. dist. bears N68°W 8 lks. dist. & a Walnut 9 m. dist.
 S50°E 21 lks. dist. Land very broken & muddling good Soil
 Beech, Hickory, ash, Oak, Sugar &c. May 20. 1819

Subdivision.

North Between Sec. 35 & 36, T9 N. R1 E. 2^d. Mer.

0.50 a W. Oak 30 m. dist.

40.00 a B. Oak 12 m. dist. Marked for q. Sec. Corner.

80.00 At a post Cor. to Sec. 25 & 26, 35 & 36, from which
 a Beech 8 m. dist. bears N64°W 20 lks. dist. &
 a Do 6 " " " S31°E 10 " "

Land Hilly, timber Oak, Beech & Hickory

East Between Sec. 25 & 36, T9 N. R1 E

40.00 At the q. Sec. post, from which

a W. Oak 18 m. dist. bears S53°W 14 lks. dist. &
 an Oak 6 " " " N12°W 26 " "

59.45 At post on the boundary, from which

T9 N. R1 E. 2^d. Mer. Indiana

a W. Oak 18 m. dist. bears S25W23 1/2 br. dist. &
 an Oak 10 " " " N70W31 " "
 February 22nd. 1820. (by James Hedger)

Continued from post on boundary
 18.96 Intersected E. boundary at Sec. Corner

North Between Secs. 25 & 26, T9 N. R1 E. 2^d. Mer.

19.00 a Br. Oak 18 m. dist.
 40.00 At the q. Sec. post, from which
 an Oak 15 m. dist. bears N17E19 1/2 br. dist. &
 a Do 15 " " " N12W38 " "
 44.25 At a post on the boundary, from which
 an Oak 4 m. dist. bears N37W20 br. dist. &
 a Do 12 " " " S29E28 " "
 Sand timber &c. same as on the last mile
 50.90 a Brook 6 lks. wide Cr. N60W
 80.00 At temp^y. Sec. post.

East On Random between Secs. 24 & 25, T9 N. R1 E.

40.00 At temp^y. q. Sec. post
 77.82 Intersected the E. boundary 140 lks. S. of Corner.
 Land hilly & poor, timber W. & B. Oak, Hickory &c
 underg^d. W. Oak & Ironwood.

West On true line between Secs. 24 & 25, T9 N. R1 E.

38.91 At q. Sec. post at a q. dist. from which
 a Hickory 8 m. dist. bears S76E29 1/2 br. dist. &
 a Dogw. 4 " " " N78W21 " "
 77.82 to Sec. Corner

North Between Secs. 23 & 24, T9 N. R1 E. 2^d. Mer.

13.60 a Brook 8 lks. wide. Cr. S70W.
 15.80 a W. Oak 10 m. dist.

T9 N. R1 E. 2nd Mer. Indiana

- 40.00 At the q. Sec. post, from which
a W. Oak 10 mi. dist. bears S47^W22^W9 dist. &
a Do 6 " " " S89^W615 " "
- 63.80 a W. Oak 30 " "
- 80.00 At a post Cor. to Secs. 13, 14, 23 & 24, from which
a W. Oak 15 mi. dist. bears N66^E30th dist. &
a Do 18 " " " N32^W17 " "
Land hilly & poor, timber W & W. Oak, Hickory &c.
undergrowth W. Oak & Ironwood

- East on Random between Secs. 13 & 24, T9 N. R1 E.
- 40.00 At turn of q. Sec. post
- 42.80 a Brook 6th wide C. S. S. & E
- 52.70 a Do 8 " " " S20^E
- 78.46 Intersected the E. boundry 118th S. of the Corner.
Land hilly & poor, timber W & W. Oak & Hickory
undergrowth W. Oak & Ironwood

- West On true line between Secs. 13 & 24, T9 N. R1 E.
- 39.23 At q. Sec. post at av. dist. from which
a W. Oak 16 mi. dist. bears S83^E29th dist. &
a Maple 10 " " " S79^W37 " "
- 78.46 to Sec. Cor. Feb. 23rd 1820

- North Between Secs. 13 & 14, T9 N. R1 E. 2nd Mer.
- 32.25 a W. Oak 6 mi. dist.
- 40.00 At the q. Sec. post, from which
a Beech 12 mi. dist. bears N23^W60th dist. &
a Do 11 " " " S49^E13 " "
- 56.60 a Hickory 13 " "
- 80.00 At a post Cor. to Secs. 11, 12, 13 & 14, from which
a Sugar 14 mi. dist. bears S85^E18th dist. &
a Do 6 " " " S59^W38 " "

T9 N. R1 E. 2^d. Mer. Indiana

Land timber &c. Same as on the last mile

East On Rand^m betwⁿ Sec. 12 & 13.

40.00 Set temp^y of Sec. post

78.50 Intersected the E. boundary 10 hrs. N. of Cor.

Land timber &c. Same as on the last mile

West On true line between Sec. 12 & 13, T9 N. R1 E.

39.25 Set of Sec. post at av^g. dist. from which
a Gum 24 in. dia. bears N 86° W 25 hrs. dist.

78.50 to Sec. Corner.

North Between Sec. 11 & 12, T9 N. R1 E. 2^d. Mer.

3.00 a Brook 15 hrs. wide C. 140° W

20.00 a Brook 8 " " " S 15° E

28.85 a B. Oak 6 in. dia.

40.00 Set the of Sec. post, from which
a R. Oak 16 in. dia. bears N 70° W 21 hrs. dist. &
a B. Oak 9 " " " S 12° E 10 " "

64.62 a C. Oak 6 " "

80.00 Set a post Cor. to Sec. 1, 2, 11 & 12, from which
a B. Oak 7 in. dia. bears N 65° W 27 hrs. dist. &
a C. Oak 13 " " " S 37° E 51 " "

Land hilly & poor, W B. Oak, Hick^y, und^g. oak &
Ironwood &c.

East On Random betwⁿ Sec. 11 & 12, T9 N. R1 E

40.00 Set temp^y of Sec. post,

78.85 Intersected the E. bound^y. 81 hrs. S. of Corner

Land timber &c. Same as on the last mile

West On true line between Sec. 11 & 12, T9 N. R1 E

39.42¹/₂ Set of Sec. post at av^g. dist. from which

T9 N. R. 1 E. 2^d. Mer. Indiana

a W. Oak 20 in. dia. bears N 62 W 15 lbs. dist. 4
 a Do 13 " " " S 72 E 34 " "
 78.85 to Sec. Corner.

North Between Sec. 16 & 21, T9 N. R. 1 E. 2^d. Mer.

24.39 B. Oak 6 in. dia.
 33.10 a Brook 6 lbs. wide C. S. 20 E.
 37.00 a Do 6 " " " N 40 E.
 40.00 At the q. Sec. post from which
 a Hickory 12 in. dia. bears S 11 E 38 lbs. dist. 4
 a W. Oak 16 " " " S 5 E 25 " "
 71.50 Intersected the N. boundary 9.27 lbs. West of
 post at the South side of Sec. 36 T10 N. R. 1 E.
 Set a post Cor. to Sec. 16 & 21, from which
 a Poplar 14 in. dia. bears S 74 E 38 lbs. dist. 4
 a W. Oak 20 " " " S 70 W 10 " "
 Land timber &c. same as on the last mile

North Between Sec. 34 & 35, T9 N. R. 1 E. 2^d. Mer.

40.00 At the q. Sec. post, from which
 a Beech 8 in. dia. bears S 10 E 17 lbs. dist. 4
 a Do 10 " " " N 56 E 13 " "
 80.00 At a post Cor. to Sec. 26, 27, 34 & 35, from which
 a Beech 8 in. dia. bears S 25 E 32 lbs. dist. 4
 a W. Oak 20 " " " N 35 W 30 " "
 Land hilly thin soil, timber Oak & Hickory

East on Random betw. Sec. 26 & 35, T9 N. R. 1 E.

40.00 At temp. q. Sec. post
 81.19 Intersected the S. line 30 lbs. S. of Sec. Cor.
 Land, timber &c. same as on the last mile

West On true line between Sec. 26 & 35, T9 N. R. 1 E.

Tg. N. R. E. 2nd. Mer. Indiana

40.59¹/₂ Set qf. Sec. post at avj. dist. from which
 a Beech 5 mi. dist. bearing N 75 E 5¹/₂ lks. dist. of
 a Sugar 8 " " " West 10 " "
 81.19 to Sec. Corner.

North Between Secs. 27 & 26, Tg. N. R. E. 2nd. Mer.
 38.00 an Elm 12 mi. dist.

40.00 Set the qf. Sec. post, from which
 a Sugar 12 mi. dist. bearing S 85 W 13 lks. dist. of
 an Elm 15 " " " S 6 W 43 " "

80.00 Set a post Cor. to Secs. 22, 23, 26 & 27, from which
 a W. Oak 20 mi. dist. bearing West 10 lks. dist. of
 a Ho 20 " " " N 68 E 27 " "
 Land timber &c. Same as on the last mile

East Between Secs. 23 & 26, Tg. N. R. E. 2nd. Mer.

33.50 Set a post on the Boundary from which
 a W. Oak 15 mi. dist. bearing S 2 W 26 lks. dist. of
 a Hickory 5 " " " S 84 E 17 " "
 Land timber &c. Same as on the last mile

Commenced on Boundary line

5.50 a Brook 60 lks. wide E. S. S 20 W

6.50 Set temp. qf. Sec. post

45.50 Intersected the N & S. line 120 lks. S. of temp.
 post Set a post at Intersection Cor. to Secs. 23,
 24, 25 & 26, from which
 a W. Oak 26 mi. dist. bearing N 48 W 40 lks. dist. of
 a Ho 14 " " " N 4 W 35 " "
 Land hilly & poor, timber W & P. Oak, Hickory &c.
 running. Dogwood & Ironwood

West Between Secs. 23 & 26, Tg. N. R. E.

39.50 Set qf. Sec. post at avj. dist. from which

T9 N. R1 E. 2nd Mer. Indiana

a W. Oak 15 in. dia. bear N41 W 13 lks. dist. &
 a Do 12 " " " N71 E 30 " "
 79.00 to Sec. Corner.

North Between Secs. 22 & 23, T9 N. R1 E. 2nd Mer.
 24.81 Set post on the Boundary line, from which
 a P. Oak 4 in. dia. bear N11 W 9 lks. dist. &
 a Hickory 10 " " " S88 E 29 " "
 Feb. 24th 1870.

40.00 Set the q. Sec. post } W. Oak 24 S 24 E 23 lks.
 80.00 Set temp. Sec. post } Do 20 N 40 W 25 "
 Land hilly thin Soil, timber Oak & Hickory

East On Random between Secs. 14 & 23, T9 N. R1 E.
 40.00 Set temp. q. Sec. post
 77.85 Intersected the A. & S. line 96 lks. S. of Corner.
 Land very hilly & poor, timber W & P. Oak & Hickory
 underg. W. Oak, Iron? &c.

West Corred. between Secs. 14 & 23, T9 N. R1 E.
 38.92 1/2 Set q. Sec. post at adj. dist. from which
 a W. Oak 10 in. dia. bear N3 W 7 lks. dist. &
 a Do 10 " " " S5 W 14 " "
 77.85 to Sec. Corner.

North Between Secs. 14 & 15, T9 N. R1 E. 2nd Mer.
 15.75 a Brook 20 lks. wide Cr. S 80 W.
 27.80 a Gum 18 in. dia.
 38.40 a Brook 6 lks. wide Cr. S 30 W.
 40.00 Set the q. Sec. post from which
 a Sugar 11 in. dia. bear S 66 W 40 lks. dist. &
 a Do 12 " " " N 11 E 8 " "
 55.17 a W. Oak 17 " "

T⁹ N. R1 E. 2^d Mer. Indiana

80.00 At a post Cor. to Sec. 10, 11, 14 & 15, from which
 a Sugar 7 m. dist. bears S 6 E 22 lks. dist. &
 a Beech 9 " " " N 37 W 17 " "
 Sand, timber &c. Same as on the last mile

East on Random betwⁿ Sec. 11 & 14, T⁹ N. R1 E.
 40.00 At temp^y. q^r. Sec. post
 75.50 a Brook 15 lks. wide E. S 40 E.
 78.26 Intersected the N & S. line 13 lks. S. of the Cor.
 Sand, timber &c. Same as on the last mile

West on true line between Sec. 11 & 14, T⁹ N. R1 E.
 39.13 At q^r. Sec. post at a q^r. dist. from which
 a W. Walnut 8 m. dist. bears S 76 E 50 lks. dist. &
 a W. Oak 12 " " " N 72 W 72 " "
 78.26 to Sec. Corner. Feb. 25th 1820

North Between Sec. 10 & 11, T⁹ N. R1 E. 2^d Mer.
 13.50 a W. Oak 18 m. dist. " " " "
 28.10 a Brook 12 lks. wide E. S 80 W
 40.00 At the q^r. Sec. post, from which
 a Hickory 12 m. dist. bears S 1 E 20 lks. dist. &
 a W. Oak 17 " " " N 31 E 54 " "
 51.30 a W. Oak 15 " " "
 80.00 At a post Cor. to Sec. 2, 3, 10, 11, from which
 a W. Oak 11 m. dist. bears S 81 W 42 lks. dist. &
 a B. Oak 8 " " " N 34 E 37 " "
 Sand timber &c. Same as on the last mile

East on Randm. between Sec. 2 & 11, T⁹ N. R1 E.
 40.00 At temp^y. q^r. Sec. post
 79.00 Intersected the N & S. line 33 lks. S. of Corner.
 Sand timber &c. Same as on the last mile

T⁹N. R1E. 2nd Mer. Indiana

West On true line between Secs. 2 & 11, T⁹N. R1E.
 39.50 At q^r. Sec. post at ar^r. dist. on true line from which
 a Hickory 6 mⁱ. dist. bears N10E 23 l^{ts}. dist^d
 a Dogw^o? 5 " " " N21W 3 " "
 79.00 to Sec. Corner.

North Between Secs. 2 & 3, T⁹N. R1E. 2nd Mer.
 18.35 a B. Oak 11 mⁱ. dist.
 40.00 At the q^r. Sec. post, from which
 a Hickory 7 mⁱ. dist. bears D59E 16 l^{ts}. dist^d
 a Beech 6 " " " N5W 13 " "
 51.95 a W. Oak 18 " "
 74.00 Intersected the N. Boundary 9.44 l^{ts}. N. of
 q^r. Sec. post at the S. side of Sec. 35, T¹⁰N. R1E.
 At a post Cor. to Secs. 2 & 3, from which
 a Beech 12 mⁱ. dist. bears S38E 19 l^{ts}. dist^d
 a Sugar 30 " " " N77W 41 " "
 Land, timber &c. Same as on the last mile

North Between Secs. 33 & 34, T⁹N. R1E. 2nd Mer.
 40.00 At the q^r. Sec. post, from which
 a Willow 15 mⁱ. dist. bears S48E 26 l^{ts}. dist^d
 a B. Oak 30 " " " S46W 36 " "
 78.00 a Poplar 40 " "
 80.00 At a post Cor. to Secs. 27, 28, 33 & 34, from which
 an Ironw^o? 3 mⁱ. dist. bears S64W 6 l^{ts}. dist^d
 a Beech 5 " " " N87E 7 " "
 Land timber &c. Same as on the last mile

East On Random between Secs. 27 & 34, T⁹N. R1E.
 40.00 At temp^y. q^r. Sec. post
 60.00 a Brook 20 l^{ts}. wide C.S.S.
 81.18 Intersected the N & S. line 107 N. of Corner

T9 N R1 E, 2^d. Mer. Indiana

Sand, timber &c. Same as on the last mile

West On true line between Sec. 27 & 34, T9 N. R1 E.
 40.59 At q^r. Sec. post at av. j. dist. from which
 a Dogwood 5 in. dia. bears East 2 hrs. dist
 no other near
 81.18 to Sec. Corner.

North Between Sec. 27 & 28, T9 N. R1 E. 2^d. Mer.
 40.00 At the q^r. Sec. post from which
 a Beech 8 in. dia. bears S 23 E 12 hrs. dist. &
 a Sugar 12 " " " N 42 W 31 " "
 80.00 At a post Cor. to Sec. 21, 22, 27 & 28, from which
 a W. Walnut 10 in. dia. bears S 27 E 36 hrs. dist. &
 a Beech 15 " " " N 66 W 28 " "
 Sand, timber &c. Same as on the last mile

East On Random betw. 22 & 27, T9 N. R1 E.
 16.00 a Brook 30 hrs. wide C. & S.
 40.00 At the q^r. Sec. post
 80.44 Intersected the N & S. line at the corner.
 Sand, timber &c. Same as on the last mile

West On true line between Sec. 22 & 27, T9 N. R1 E.
 40.22 At q^r. Sec. post, at av. j. dist. from which
 a W. Oak 18 in. dia. bears S 25 E 25 hrs. dist. &
 a Dogwood 3 " " " N 71 W 5 " "
 80.44 to Sec. Cor.

North Between Sec. 21 & 22, T9 N. R1 E. 2^d. Mer.
 40.00 At the q^r. Sec. post, from which
 a Beech 5 in. dia. bears S 34 W 21 hrs. dist. &
 a Do 6 " " " N 1 E 16 " "

T9 N. R1 E. 2^d. Mer. Indiana

81.00 Set a post Cor. to Secs. 15, 16, 21 & 22, from which
 a W. Walnut 6 in. diam. bears N 75 E 11 lks. dist. &
 a Beech 8 " " " N 64 W 21 " "
 Land timber &c. same as on the last mile

East Between Secs. 15 & 22, T9 N. R1 E, on 1st land m.

6.17 a Poplar 3 in. diam. Cor. on boundary line
 15.80 a Brook 8 lks. wide Cr. S 30 W.
 38.00 a Do 25 " " " S 25 W
 40.00 Set temp. q. Sec. post
 47.50 a Brook 20 lks. wide Cr. S 20 W.
 78.26 Intersected the E. boundy. at temp. post. Set a
 post Cor. to Secs. 14, 15, 22 & 23, from which
 a W. Oak 20 in. diam. bears S 24 W 25 lks. dist. &
 a Gum 8 " " " N 24 E 38 " "
 Land hilly & poor, timber W. Oak, Hickory, Hogwood
 and Ironw. &c.

West On true line between Secs. 15 & 22, T9 N. R1 E.

39.13 Set q. Sec. post at av. dist. from which
 a Beech 11 in. diam. bears N 39 W 3 lks. dist. &
 a Do 6 " " " S 3 W 28 " "
 78.26 to Sec. Corner.

North Between Secs. 15 & 16, T9 N. R1 E. 2^d. Mer.

4.50 Set a post in the boundary line, from which
 a Beech 4 in. diam. bears N 15 E 6 lks. dist. &
 a W. Oak 4 " " " N 18 W 7 " "

February 25th. 1870

17.62 a Beech 20 in. diam. in the line

40.00 Set the q. Sec. post, from which
 a Beech 20 in. diam. bears S 5 W 22 lks. dist. &
 a W. Oak 10 " " " N 29 W 39 " "

T9 N. R1 E. 2nd Mer. Indiana

57.16 a Gum 16 mi. dist. in the line
 80.00 Set the 1st Sec. post, Cor. to Sec. 9, 10, 15 & 16, from which
 a W. Oak 12 mi. dist. bears S42 E 37 lks. dist. to
 a Beech 15 " " " N42 W 40 " "
 Uneven 2nd rate land, timber W. Oak, Beech & Sugar

East On Random betwⁿ Sec. 10 & 15, T9 N. R1 E.
 40.00 Set temp^y. 1st Sec. post.
 42.00 a Brook 15 lks. wide C.P. S 5 E.
 77.60 Intersected the N & S. line 66 lks. S. of the Corner.
 Silly & poor, timber W. & C. Oak, Beech, mendingth.
 W. Oak & Ironwood.

West On true line between Sec. 10 & 15, T9 N. R1 E.
 38.80 Set 1st Sec. post at a 1st dist. from which
 a W. Oak 11 mi. dist. bears N 50 W 16 lks. dist. to
 a Gum 15 " " " S 75 E 25 " "
 77.60 to Sec. Corner. Feb. 25th 1820

North Between Sec. 9 & 10, T9 N. R1 E. 2nd Mer.
 28.38 a Beech 8 mi. dist.
 40.00 Set the 1st Sec. post, from which
 a Sugar 8 mi. dist. bears S 25 W 36 lks. dist. to
 a W. Oak 18 " " " N 6 W 28 " "
 69.00 a Maple 6 " "
 80.00 Set a post Cor. to Sec. 3, 4, 9 & 10, T9 N. R1 E.
 a Sassafras 6 mi. dist. bears S 42 E 16 lks. dist. to
 a Do 7 " " " N 42 W 16 " "
 Land timber &c. Same as on the last mile

East On Random betwⁿ Sec. 3 & 10, T9 N. R1 E.
 40.00 Set temp^y. 1st Sec. post
 78.76 Intersected the N & S. line 9³ lks. S. of Corner.

T9 N. R1 E. 2nd Mer. Indiana

Land, timber &c. Same as on the last mile

Nest On true line between Secs. 3 & 10, T9 N. R1 E.
 39.38 At the gr. Sec. post at av. dist. from which
 a B. Oak 8 m. diam. bears S 32 E. 50 lks. dist. of
 a Do 11 " " " N 34 W 18 " "
 78.76 Sec. Corner.

North Between Secs. 3 & 4, T9 N. R1 E. 2nd Mer.
 14.00 a Brook 8 lks. wide Cr. S 5 E.
 24.30 a Sugar 11 m. diam. in the line
 37.00 a Brook 8 lks. wide Cr. S 80 E.
 40.00 At the gr. Sec. post, from which
 a Sugar 6 m. diam. bears N 21 W 16 lks. dist. of
 a Do 6 " " " S 21 E 28 " "
 44.50 a Brook 15 lks. wide Cr. S 5 E.
 51.70 a Sugar 12 m. diam. in the line
 71.75 a Brook 6 lks. wide Cr. S 60 E.
 79.00 Intersected the St. boundary 9.20 lks. N. of 1/4 Sec.
 post at the S. side of Sec. 34, T10 N. R1 E. At
 a post Cor. to Secs. 3 & 4, from which
 a Sugar 10 m. diam. bears N 57 E 40 lks. dist. of
 a Beech 9 " " " N 88 W 36 " "
 Land, timber &c. Same as on the last mile

North Between Secs. 32 & 33, T9 N. R1 E. 2nd Mer.
 40.00 At the gr. Sec. post, from which
 a Beech 25 m. diam. bears S 15 E 23 lks. dist. of
 a Do 10 " " " N 44 W 6 " "
 44.00 a Brook 20 lks. wide Cr. S. E.
 80.00 At a post Cor. to Secs. 28, 29, 32 & 33, from which
 a Beech 10 m. diam. bears S 84 E 18 lks. dist. of
 a Hickory 5 " " " S 31 W 5 " "

T⁹N. R1E. 2nd. Mer. Indiana

Allythin Soil, timber Oak, Beech & Hickory

East On Random betw. Sec. 28 & 33, T⁹N. R1E.

34.00 a Brook 30 lks. wide C. S.

40.00 Set temp. q. Sec. post

80.25 Intersected the N & S. line at the corner.

West On true line between Sec. 28 & 33, T⁹N. R1E.

40.12 p. Set q. Sec. post at av. dist. from which
a Beech 20 in. dia. bears south one link

80.25 to Sec. Corner.

North Between Sec. 28 & 29, T⁹N. R1E. 3rd. Mer.

40.00 Set the q. Sec. post, from which

a Beech 10 in. dia. bears N 5 W 13 lks. dist. &

a do 6 " " " N 30 E 5 " "

46.00 a Brook 20 lks. wide C. S. E.

80.00 Set a post Cor. to Sec. 20, 21, 28 & 29, from which

a B. Oak 10 in. dia. bears N 78 W 10 lks. dist. &

a Hickory 7 " " " N 69 E 9 " "

Sand timber &c. Same as on the last mile

East On Random betw. Sec. 21 & 28, T⁹N. R1E.

40.00 Set temp. q. Sec. post

79.66 Intersected the N & S. line 75 lks. S. of the corner.

Sand timber &c. Same as on the last mile

West On true line between Sec. 21 & 28, T⁹N. R1E.

39.83 Set q. Sec. post at av. dist. from which

a Hickory 8 in. dia. bears N 57 E 10 lks. dist. &

a Maple 15 " " " N 88 W 28 " "

79.66 to Sec. Corner.

T9 N. R1 E. 2nd Mer. Indiana

North Between Secs. 20 & 21, T9 N. R1 E. 2nd Mer.
 40.00 a Beech 8 in. dia. (Marked for q. Sec. Corner.
 80.00 Set a post Cor. to Secs. 16, 17, 20 & 21, from which
 a Spruce 18 in. dia. bears N 67 E 12 lbs. dist. &
 a Beech 8 " " " S 12 E 14 " "
 Sand timber &c. same as on the last mile

East On Randm. betw. Secs. 16 & 21, T9 N. R1 E. 2nd Mer.
 40.00 Set temp. q. Sec. post
 80.00 Intersected the N & S. line 15 lbs. S. of Sec. Corner.
 Sand timber &c. same as on the last mile

West On true line betw. Secs. 16 & 21, T9 N. R1 E.
 40.00 Set the q. Sec. post at av. dist. from which
 a Dogwood 5 in. dia. bears N 74 E 11 lbs. dist. &
 a Poplar 18 " " " S 14 E 23 " "
 80.00 to Sec. Corner.

North Between Secs. 16 & 17, T9 N. R1 E. 2nd Mer.
 40.00 Set the q. Sec. post, from which
 a Beech 30 in. dia. bears S 74 W 19 lbs. dist. &
 a W. Oak 8 " " " S 72 E 27 " "
 62.07 Set a post on the boundary line from which
 a Dogwood 3 in. dia. bears S 24 W 12 lbs. dist. &
 a Hickory 15 " " " S 33 E 22 " "
 Sand, timber &c. same as on the last mile
 80.00 Set temp. Sec. post

East On Random between Secs. 9 & 16, T9 N. R1 E.
 45.00 Set temp. q. Sec. post
 77.32 Intersected the N & S. line 79 lbs. N. of Corner.
 Sand hilly & poor, W. Oak, hick. undg. Dogwood & Ironwood

T9 N R1 E. 2^d. Mer. Indiana

West On true line between Sec. 9 & 10, T9 N. R1 E.
 38.66 At the q. Sec. post at av. dist. from which
 a Beech 12 mi. dist. bears S79°W 25 lks. dist. of
 a Hickory 8 " " " S74 E 8 " "
 77.32 to Sec. Corner.

North Between Sec. 8 & 9, T9 N R1 E. 2^d. Mer.
 7.00 a Brook 6 lks. wide Cr. S5 W.
 15.50 a Sugar 12 mi. dist.
 40.00 At the q. Sec. post, from which
 a Beech 15 mi. dist. bears N35°W 24 lks. dist. of
 a Do 7 " " " S7°W 15 " "
 50.90 a Beech 17 " "
 80.00 At a post Cor. to Sec. 4, 5, 8 & 9, from which
 a Black 10 mi. dist. bears N20°E 6 lks. dist. of
 a Do 6 " " " S19°W 13 " "
 Unseen 2^d state land Sugar, Beech, Ash &c.

East On Random betw. Sec. 4 & 9, T9 N. R1 E
 10.00 a Brook 6 lks. wide Cr. N5 W.
 40.00 At temp. q. Sec. post
 77.33 Intersected the N & S. line 84 lks. N. of the Corner
 Land very hilly Soil 2^d state, W & B. Oak & W. Walnut
 Sassafras, undergth. Sassafras.

West On true line betw. Sec. 4 & 9, T9 N. R1 E.
 38.66 At q. Sec. post at av. dist. from which.
 a Sassafras 8 mi. dist. bears S21°W 4 lks. dist. of
 a B. Walnut 10 " " " N24 E 20 "
 77.33 to Sec. Cor.

North Between Sec. 4 & 5, T9 N. R1 E. 2^d. Mer.
 17.45 a Hickory 8 mi. dist. in the line

T9 N. R1 E. 2^d. Mer. Indiana

- 40.00 At the q. Sec. post, from which
 a Beech 12 mi. dist. bears S85W29th dist. of
 a Sugar 12 " " " S74E75 " "
 52.00 a W. Walnut 11 " "
 79.00 Intersected the N. boundary 7.61 krs. N. of the q.
 Sec. post in the S. side of Sec. 33, T10 N. R1 E. - At
 a post Cor. to Sec. 4 & 5, from which
 a Beech 14 mi. dist. bears N66E20th dist. of
 a Poplar 18 " " " S12E12 " "
 Land timber &c. same as on the last mile
-

North Between Sec. 31 & 32, T9 N. R1 E. 2^d. Mer.

- 40.00 At the q. Sec. post, from which
 a Beech 20 mi. dist. bears S77W15th dist. of
 a Do 10 " " " N68E14 " "
 54.50 a Brook 18 krs. wide Course E.
 80.00 At a post Cor. to Sec. 29, 30, 31 & 32, from which
 a Beech 6 mi. dist. bears N65W6th dist. of
 a Do 6 " " " N82E14 " "
 Land hilly timber, Beech & Hickory
-

East On Random between Sec. 29 & 32, T9 N. R1 E.

- 30.00 a Brook 10 krs. wide C. & S.
 40.00 At temp. q. Sec. post.
 81.14 Intersected the N & S. line 158 krs. N. of Sec. Cor.
 Land very hilly, timber the same
-

West On true line between Sec. 29 & 32, T9 N. R1 E.

- 40.57 At q. Sec. post, at anj. dist. from which
 a Beech 30 mi. dist. bears N15E27th dist. of
 a Sugar 6 " " " N3W39 " "
 81.14 to Sec. Corner.
-

T9 N. R1 E. 2^d. Mer. Indiana

West Between Secs. 30 & 31, T9 N. R1 E

40.00 At the qf. Sec. post, from which

a Beech 20 mi. dist. bears S58°W32 lbs. dist. &

a do 8 " " " S58 E 8 " "

79.72 Intersected the N. boundary at the corner.

Sand timber &c. same as on the last mile

North Betw. Secs. 29 & 30, T9 N. R1 E. 2^d. Mer.

40.00 At the qf. Sec. post, from which

a Dogwood 4 mi. dist. bears N15 E 21 lbs. dist. &

a Hickory 18 " " " S83 E 18 " "

75.60 a Brook 12 lbs. wide C.P. E.

80.00 At post Cor. to Secs. 19, 20, 29 & 30, from which

a Sugar 8 mi. dist. bears N79 E 4 lbs. dist. &

a do 8 " " " N50°W34 " "

Sand, timber &c. same as on the last mile

East On Random between Secs. 20 & 29, T9 N. R1 E.

35.00 a Brook 20 lbs. wide C.P. N.E.

40.00 At temp. qf. Sec. post

44.50 a Brook 20 lbs. wide C.P. S.E.

80.02 Intersected the N & S. line 18 lbs. N. of corner.

Sand timber &c. same as on the last mile

West On true line between Secs. 20 & 29, T9 N. R1 E.

40.31 At qf. Sec. post at av. dist. from which

a Sugar 8 mi. dist. bears S42°W lbs. dist. &

a hycamore 35 " " " N75°W12 " "

80.62 to Sec. corner.

West Between Secs. 19 & 30, T9 N. R1 E. 2^d. Mer.

40.00 At the qf. Sec. post, from which

a Beech 20 mi. dist. bears S37 E 9 lbs. dist. &

T9 N. R1 E. 2^d. Mer. Indiana

- a Beech 15 mi. dist. bear N 33 E 13 lks. dist.
 78.70 Intersected the 2^d. Meridian 100 lks. S. of the cor.
 a W. Oak 30 mi dist. Cor. to Sec. 19 & 30.
 Land, timber &c. Same, as on the last mile

North Between Sec. 19 & 20, T9 N. R1 E. 2^d. Mer.

- 40.00 At the q. Sec. post, from which
 a Beech 24 mi. dist. bear S 14 W 20 lks. dist. of
 a clo 6 " " " S 58 W 26 " "
 48.00 a Beech 30 mi. dist. in the line
 80.00 At a post Cor. to Sec. 17, 18, 19 & 20, from which
 a Beech 20 mi. dist. bear N 10 E 16 lks. dist. of
 a clo 18 " " " S 20 E 17 " "
 Land timber &c. Same as on the last mile

East On Rand. betw. Sec. 17 & 20, T9 N. R1 E.

- 40.00 At temp. q. Sec. post
 80.22 Intersected the N & S. line 30 lks. N. of Corner
 Land, timber &c. Same as on the last mile

West On true line between Sec. 17 & 20, T9 N. R1 E.

- 40.11 At the q. Sec. post, from which
 a Hickory 9 mi. dist. bear N 50 W 24 lks. dist. of
 a Beech 6 " " " S 76 E 18 " "
 80.22 to Sec. Corner.

West Between Sec. 18 & 19, T9 N. R1 E. 2^d. Mer.

- 40.00 At the q. Sec. post, from which
 a Beech 8 mi. dist. bear N 84 E 13 lks. dist. of
 a clo 20 " " " S 50 E 10 " "
 78.66 Intersected the 2^d. Meridian 134 lks. S. of Corner
 At a post Cor. to Sec. 18 & 19, from which
 a Beech 18 mi. dist. bear N 20 W 24 lks. dist. of

T9 N. R1 E. 2^d. Mer. Indiana

a Beech 4 mi. dia. bear N45 E 26 lbs. dist.
Land hilly Soil Rich

North Between Sec. 17 & 18, T9 N. R1 E. 2^d. Mer.

32.00 a Spring Cr. East

40.00 At the q. Sec. post from which

a Beech 12 in. dia. bear N1 E 24 lbs. dist. of

a Do 10 " " " S58 W11 " "

80.00 At a post cor. to Sec. 7, 8, 17, & 18, from which

a Beech 20 in. dia. bear N11 W 23 lbs. dist. of

a Do 12 " " " N73 E 26 " "

Land timber &c. same as on the last mile

East Between Sec. 8 & 17, T9 N. R1 E. 2^d. Mer.

40.00 At the q. Sec. post, from which

a B. Oak 12 N41 W 30 lbs. dist. of

a Hickory 10 S37 E 10 " "

53.35 At a post on the boundary line, from which

a Sassafras 6 mi. dia. bear S65 E 6 lbs. dist. of

a Do 8 " " " S18 E 6 " "

Land hilly & brushy, timber Oak & Hickory

Thence E. from the boundary by Hedges

76.35 a Brook 6 lbs. wide Cr. & W.

79.65 Intersected the N & S. line 177 lbs. N. of temp. post.

At post at the post of intersection Cor. to 8, 9, 16 & 17, from which

a Beech 8 mi. dia. bear S87 E 37 lbs. dist. of

a Maple 12 " " " S75 E 12 " "

Land East of bound. same as that West of it.

West Between Sec. 7 & 18, T9 N. R1 E. 2^d. Mer.

40.00 At the q. Sec. post, from which

a Poplar 8 mi. dia. bear S75 E 12 lbs. dist. of

a Do 6 " " " N39 E 14 " "

267
T9 N. R1 E. 2^d. Mer. Indiana

78.81 Intersected the 2^d. Meridian 186 lks. S. of Cor.
Set a post Cor. to Sec. 7 & 18, from which
a P. Oak 10 in. dia. bears N 45° W 6 lks. dist. &
a W. Walnut 10 " " " N 6 E 16 " "
Sand timber &c. same as on the last mile

North Between Sec. 7 & 8, T9 N. R1 E. 2^d. Mer.

31.00 a Brook 10 lks. wide E. & W

40.00 At the q. Sec. post, from which
a W. Ash 6 in. dia. bears S 14 E 8 lks. dist. &
a llo 4 " " " N 69° W 11 " "

40.71 Set a post on the boundary line, from which
a P. Oak 10 in. dia. bears South 13 lks. dist. &
a llo 6 " " " N 54° W 13 " "

Sand timber &c. same as above

53.30 a Sugar 11 in. dia. in the line

55.00 a Brook 6 lks. wide E. & W N 80° W

80.00 At temp. Section Corner.

East On a random between Sec. 5 & 8, T9 N. R1 E.

40.00 At temp. q. Sec. post

77.00 Intersected the N & S. line 91 lks. S. of Sec. Corner
Land hilly & poor, timber W & P. Oak, hickory &c.

West On true line between Sec. 5 & 8, T9 N. R1 E.

38.50 At q. Sec. post at a 1/2 dist. from which
a Beech 12 in. dia. bears N 4 E 46 lks. dist. &
a Sugar 6 " " " S 7° W 22 " "

77.00 to Sec. Corner

East Between Sec. 6 & 7, T9 N. R1 E. from post. in the
2^d. Meridian

22.30 Set a post in the boundary line, from which

T⁹N. R¹E. 2^d. Mer. Indiana

- a Beech 18 mi. dist. bear S 79° W 22 lbs. dist. &
 a hlo 20 " " " N 9° W 10 " "
 Land timber &c. same as on the last mile
 commencing at the boundary thence East
 17.70 Set temp. q. Sec. post
 54.00 Intersected the N & S. line 150 lbs. N. of temp. post.
 Set a post at the point of intersection Cor. to Sec.
 5, 6, 7 & 8, from which.
 a Beech 16 mi. dist. bear S 5° E 4 lbs. dist. &
 a hlo 18 " " " N 55° W 15 " "
 Land hilly & poor, W. Oak, Hickory, & Beech ndg. ^W Shinarump? Dapp?

- West Between Sec. 6 & 7 on true line
 40.00 Set the q. Sec. post, from which
 a Gum 30 mi. dist. bear S 32° E 33 lbs. dist. &
 a Beech 24 " " " N 18° W 54 " "
 (76.30 to W. boundary)

- North Between Sec. 5 & 6, T⁹N. R¹E. 2^d. Mer.
 21.00 a Beech 7 mi. dist.
 40.00 Set the q. Sec. post, from which
 a Beech 12 mi. dist. bear S 78° W 30 lbs. dist. &
 a hlo 10 " " " S 73° W 40 " "
 49.40 a Beech 28 " "
 57.50 a Brook 8 lbs. wide C. P. N 40° W
 78.25 Intersected the N. boundary 5.34 lbs. N. of q. Sec.
 post on S. side of Sec. 32. Fl. N. R¹E. Set a post
 Cor. to Sec. 5 & 6, T⁹N. R¹E. from which
 a Beech 13 mi. dist. bear S 66° E 23 lbs. dist. &
 a W. Oak 7 " " " N 46° W 63 " "
 Land hilly & poor timber W. Oak & Hickory
 Surveyed by. Arthur Murrie, L.S. in 1815
 " by James Hager, L.S. " 1820

T⁹ N. R¹ E. 2^d. Mer. Indiana

Brought from page 244.

80.00 Let a post Cor. to Sec. 1 of 12, T⁹ N. R¹ E. from
 which a Beech 12 in. diam. bears S 75° W 26 lks. dist. &
 a W. Oak 14 " " " N 83° E 15 " "
 Land hilly & poor thickly timbered. W. B. & C. Oak & Hickory
 under the W. Oak, Hickory & Sassafras.

North On E. boundary of Sec. 1. T⁹ N. R¹ E.

18.00 a Sugar 11 in. diam.

40.00 Let the q. Sec. post, from which
 a W. Oak 10 in. diam. bears S 21° W 60 lks. dist. &
 a Hickory 12 " " " N 31° W 19 " "

54.16 a Beech 12 " "

67.00 Intersected the Town line 28.50 E. of post Cor.
 to Town 10 Range 1 of 2 E. Let post, from which
 a W. Oak 15 in. diam. bears S 30° W 26 lks. dist. &
 a Hickory 7 " " " N 32° E 28 " "
 Surveyed by James Hedger, D.S. in 1819

I certify that the foregoing transcript of field notes
 of Township N. 9 N. Range N. 1 E. 2^d. Mer. Ind.^a.
 has been compared with the original notes in this office
 and found to be correct.

Surveyor General's office
 Cincinnati Dec. 19. 1840

E. S. Cairnes
 Sur. Genl.